

ABSTRACT OF THE DISCLOSURE

A method of manufacturing a semiconductor device according to the present invention forms a laminate metal film having a copper metal layer and a barrier metal, and once immerses the laminate metal film in a solution
5 including an organic acid having at least one carboxyl group before a heat treatment, thereby removing from the laminate metal film an oxide which is the source of oxygen that diffuses during the heat treatment.